

Ledge Handles

Handle Profile Aluminum, End Caps Plastic

SPECIFICATION

Handle profile

Aluminum

- Powder coated
Black, RAL 9005, textured finish **SW**
- Anodized, natural color **EL**

End caps

Plastic, Polyamide (PA)
Black-gray

INFORMATION

Typical applications for ledge handles GN 430 include swivel or sliding doors on protective doors and equipment. They are also suitable for use as drawer handles.

The screw channel for screw sizes M6 allows an optional number of fixing screws in any position within the dimension l_2 .


Any length of the aluminum profile can be delivered and single end caps can also be delivered. Special lengths can be manufactured from relatively small quantities upwards.

ON REQUEST

- Special lengths

TECHNICAL INFORMATION

- Assembly instructions / Application examples (see page)
- Plastic Characteristic (see page A2)



GN 430


Description	l_1	b_1	b_2	b_3	h_1	h_2	l_2 Screw area	l_3	t	\triangle
GN 430-110-SW	110	36	13	8	34	24	66	22	12	86
GN 430-130-SW	130	36	13	8	34	24	86	22	12	101
GN 430-150-SW	150	36	13	8	34	24	106	22	12	117
GN 430-200-SW	200	36	13	8	34	24	156	22	12	163
GN 430-250-SW	250	36	13	8	34	24	206	22	12	196
GN 430-300-SW	300	36	13	8	34	24	256	22	12	233
GN 430-400-SW	400	36	13	8	34	24	356	22	12	314
GN 430-500-SW	500	36	13	8	34	24	456	22	12	388
GN 430-110-EL	110	36	13	8	34	24	66	22	12	86
GN 430-130-EL	130	36	13	8	34	24	86	22	12	101
GN 430-150-EL	150	36	13	8	34	24	106	22	12	117
GN 430-200-EL	200	36	13	8	34	24	156	22	12	159
GN 430-250-EL	250	36	13	8	34	24	206	22	12	196
GN 430-300-EL	300	36	13	8	34	24	256	22	12	233
GN 430-400-EL	400	36	13	8	34	24	356	22	12	314
GN 430-500-EL	500	36	13	8	34	24	456	22	12	390



Information on fastening with a screw channel

Thanks to the screw channel which runs all the way through, any number of screws with standard thread M6 can be placed in any locations within the screw area l_2 . Please note the following guide values:

- Minimum screw-in depth: 10 mm
- Max. load (screw): 400 N
- Max. tightening torque: 4 Nm



Application examples

