

## Cabinet U-Handles

**Stainless Steel, Tall Design, without Thread, for Welding**

### SPECIFICATION

**Stainless steel AISI 304 NI**  
Matte, shot-blasted

### INFORMATION

Cabinet U-handles GN 435.3, tall design, are made from bent round profiles and are fastened by welding. They are designed for applications requiring more height for gripping. For example, this makes it possible to grab or hold the handle while wearing safety gloves. Some dimensions also satisfy the crane access standard DIN EN 13856.

In addition to serving as a handle, it can also be used as a hose guide, retaining bracket or the like.


The holes  $d_2$  serve, if necessary, for inserting dowel pins or guide pins that provide a simple method for positioning and fixing the cabinet U-handle in place via the alignment holes in the opposing part for the welding process.

### ON REQUEST


- Other dimensions
- Other materials

### TECHNICAL INFORMATION

- ISO-Fundamental Tolerances (see page A21)
- Load Rating Information (see page A35)
- Stainless Steel Characteristics (see page A26)



Application and mounting example



### GN 435.3

**STAINLESS STEEL**

Description	$d_1$	Length $l \pm 0.5$	h	$d_2$ H12	r	t	⚖️
GN 435.3-12-125-75-NI	12	125	75	4	14	6	218
GN 435.3-12-125-110-NI	12	125	110	4	14	6	281
GN 435.3-12-160-75-NI	12	160	75	4	14	6	290
GN 435.3-12-160-110-NI	12	160	110	4	14	6	312
GN 435.3-12-200-75-NI	12	200	75	4	14	6	320
GN 435.3-12-200-110-NI	12	200	110	4	14	6	348
GN 435.3-16-160-85-NI	16	160	85	4	18	6	462
GN 435.3-16-160-125-NI	16	160	125	4	18	6	589
GN 435.3-16-200-85-NI	16	200	85	4	18	6	590
GN 435.3-16-200-125-NI	16	200	125	4	18	6	653
GN 435.3-16-300-85-NI	16	300	85	4	18	6	684
GN 435.3-16-300-125-NI	16	300	125	4	18	6	811