

## Mushroom Shaped Knobs

Stainless Steel, Hygienic Design

### SPECIFICATION

#### Types

- Type **D**: With internal thread
- Type **E**: With threaded stud

#### Knob

- Stainless steel AISI 316L
- Matte finish ( $R_a < 0.8 \mu\text{m}$ ) **MT**
- Polished finish ( $R_a < 0.8 \mu\text{m}$ ) **PL**

#### Sealing ring

- H-NBR **H**  
Operating temperature  $-25\text{ }^\circ\text{C}$  to  $+150\text{ }^\circ\text{C}$
- EPDM **E**  
Operating temperature  $-40\text{ }^\circ\text{C}$  to  $+120\text{ }^\circ\text{C}$
- FDA compliant material
- Blue
- Hardness  $85 \pm 5$  Shore A

### INFORMATION

Mushroom shaped knobs GN 75.6 are intended for use in hygienic areas. The sealed mounting surfaces enables mounting without dead spaces; the impervious geometry in combination with the high quality finish prevents the accumulation of dirt and facilitates cleaning.

They have a compact and timeless design.

### ACCESSORY

- Sealing Rings GN 7600 (see page )





### ON REQUEST

- with FKM sealing ring (Fluorine rubber) **F**

### TECHNICAL INFORMATION

- Plastic Characteristics (see page A2)
- Stainless Steel Characteristics (see page A26)



\* Complete with

**MT**  
Matte finish

**PL**  
Polished finish

#### GN 75.6-D-H

STAINLESS STEEL

Description	d1	d2	d4	d5	h	t min.	⚖
GN 75.6-20-M5-D-* <b>H</b>	20	M 5	14	14.8	24	7	25
GN 75.6-25-M6-D-* <b>H</b>	25	M 6	16	16.8	29	9	45
GN 75.6-32-M8-D-* <b>H</b>	32	M 8	18	18.8	37	12	82

#### GN 75.6-E-H

STAINLESS STEEL

Description	d1	d3	d4	d5	h	l	⚖
GN 75.6-20-M5-E-* <b>H</b>	20	M 5	14	14.8	24	10	28
GN 75.6-25-M6-E-* <b>H</b>	25	M 6	16	16.8	29	12	50
GN 75.6-32-M8-E-* <b>H</b>	32	M 8	18	18.8	37	14	92

#### GN 75.6-D-E

STAINLESS STEEL

Description	d1	d2	d4	d5	h	t min.	⚖
GN 75.6-20-M5-D-* <b>E</b>	20	M 5	14	14.8	24	7	25
GN 75.6-25-M6-D-* <b>E</b>	25	M 6	16	16.8	29	9	45
GN 75.6-32-M8-D-* <b>E</b>	32	M 8	18	18.8	37	12	82

#### GN 75.6-E-E

STAINLESS STEEL

Description	d1	d3	d4	d5	h	l	⚖
GN 75.6-20-M5-E-* <b>E</b>	20	M 5	14	14.8	24	10	28
GN 75.6-25-M6-E-* <b>E</b>	25	M 6	16	16.8	29	12	50
GN 75.6-32-M8-E-* <b>E</b>	32	M 8	18	18.8	37	14	92

Weight type MT

Weight type MT