

## Feather keys

Steel / Stainless Steel

### SPECIFICATION

#### Type

- Type **A**: front rounded, long version

#### Version in Steel

Steel C45+C

blank

#### Version in Stainless Steel

Stainless Steel AISI 316Ti **NI**

### INFORMATION

Feather keys DIN 6885 are only in packing units of 50 pieces for each size and length available.


Stainless Steel-Feather keys DIN 6885 are only in packing units of 10 pieces for each size and length available.

### ON REQUEST

- b = 14, 16, 18, 20

### TECHNICAL INFORMATION

- ISO-Fundamental Tolerances (see page A21)
- Keyway type in the bore and the shaft (see page A16)
- Stainless Steel characteristics (see page A26)




### DIN 6885

Description	b	h9	h	l	For shaft-Ø from...to	⚖
DIN 6885-2-2-6-A	2	2	6	6..8	1	
DIN 6885-2-2-8-A	2	2	8	6..8	1	
DIN 6885-2-2-10-A	2	2	10	6..8	1	
DIN 6885-2-2-12-A	2	2	12	6..8	1	
DIN 6885-2-2-14-A	2	2	14	6..8	1	
DIN 6885-2-2-16-A	2	2	16	6..8	1	
DIN 6885-2-2-18-A	2	2	18	6..8	1	
DIN 6885-2-2-20-A	2	2	20	6..8	1	
DIN 6885-3-3-6-A	3	3	6	8..10	1	
DIN 6885-3-3-8-A	3	3	8	8..10	1	
DIN 6885-3-3-10-A	3	3	10	8..10	1	
DIN 6885-3-3-12-A	3	3	12	8..10	1	
DIN 6885-3-3-14-A	3	3	14	8..10	1	
DIN 6885-3-3-16-A	3	3	16	8..10	1	
DIN 6885-3-3-18-A	3	3	18	8..10	1	
DIN 6885-3-3-20-A	3	3	20	8..10	1	
DIN 6885-3-3-22-A	3	3	22	8..10	2	
DIN 6885-3-3-25-A	3	3	25	8..10	2	
DIN 6885-3-3-28-A	3	3	28	8..10	2	

### DIN 6885

Description	b	h9	h	l	For shaft-Ø from...to	⚖
DIN 6885-3-3-30-A	3	3	30	8..10	2	
DIN 6885-3-3-32-A	3	3	32	8..10	2	
DIN 6885-3-3-35-A	3	3	35	8..10	2	
DIN 6885-3-3-36-A	3	3	36	8..10	3	
DIN 6885-4-4-6-A	4	4	6	10..12	3	
DIN 6885-4-4-8-A	4	4	8	10..12	3	
DIN 6885-4-4-10-A	4	4	10	10..12	3	
DIN 6885-4-4-12-A	4	4	12	10..12	3	
DIN 6885-4-4-14-A	4	4	14	10..12	3	
DIN 6885-4-4-16-A	4	4	16	10..12	3	
DIN 6885-4-4-18-A	4	4	18	10..12	3	
DIN 6885-4-4-20-A	4	4	20	10..12	3	
DIN 6885-4-4-22-A	4	4	22	10..12	3	
DIN 6885-4-4-25-A	4	4	25	10..12	3	
DIN 6885-4-4-28-A	4	4	28	10..12	4	
DIN 6885-4-4-32-A	4	4	32	10..12	4	
DIN 6885-4-4-36-A	4	4	36	10..12	5	
DIN 6885-4-4-40-A	4	4	40	10..12	5	
DIN 6885-4-4-45-A	4	4	45	10..12	6	





DIN 6885

Description	b h9	h	l	For shaft-Ø from...to	⚖
DIN 6885-5-5-8-A	5	5	8	12...17	2
DIN 6885-5-5-10-A	5	5	10	12...17	2
DIN 6885-5-5-12-A	5	5	12	12...17	2
DIN 6885-5-5-14-A	5	5	14	12...17	2
DIN 6885-5-5-16-A	5	5	16	12...17	3
DIN 6885-5-5-18-A	5	5	18	12...17	4
DIN 6885-5-5-20-A	5	5	20	12...17	4
DIN 6885-5-5-22-A	5	5	22	12...17	4
DIN 6885-5-5-25-A	5	5	25	12...17	5
DIN 6885-5-5-28-A	5	5	28	12...17	5
DIN 6885-5-5-32-A	5	5	32	12...17	6
DIN 6885-5-5-36-A	5	5	36	12...17	7
DIN 6885-5-5-40-A	5	5	40	12...17	7
DIN 6885-5-5-45-A	5	5	45	12...17	8
DIN 6885-5-5-50-A	5	5	50	12...17	9
DIN 6885-6-6-12-A	6	6	12	17...22	3
DIN 6885-6-6-14-A	6	6	14	17...22	3
DIN 6885-6-6-16-A	6	6	16	17...22	4
DIN 6885-6-6-18-A	6	6	18	17...22	5
DIN 6885-6-6-20-A	6	6	20	17...22	5
DIN 6885-6-6-22-A	6	6	22	17...22	6
DIN 6885-6-6-25-A	6	6	25	17...22	6
DIN 6885-6-6-28-A	6	6	28	17...22	7
DIN 6885-6-6-32-A	6	6	32	17...22	8
DIN 6885-6-6-36-A	6	6	36	17...22	10
DIN 6885-6-6-40-A	6	6	40	17...22	10
DIN 6885-6-6-45-A	6	6	45	17...22	13
DIN 6885-6-6-50-A	6	6	50	17...22	14
DIN 6885-6-6-56-A	6	6	56	17...22	15
DIN 6885-6-6-63-A	6	6	63	17...22	17
DIN 6885-8-7-12-A	8	7	12	22...30	4
DIN 6885-8-7-14-A	8	7	14	22...30	6
DIN 6885-8-7-16-A	8	7	16	22...30	6
DIN 6885-8-7-18-A	8	7	18	22...30	7
DIN 6885-8-7-20-A	8	7	20	22...30	8
DIN 6885-8-7-22-A	8	7	22	22...30	9
DIN 6885-8-7-25-A	8	7	25	22...30	10
DIN 6885-8-7-28-A	8	7	28	22...30	11
DIN 6885-8-7-32-A	8	7	32	22...30	13
DIN 6885-8-7-36-A	8	7	36	22...30	15
DIN 6885-8-7-40-A	8	7	40	22...30	18

DIN 6885

Description	b h9	h	l	For shaft-Ø from...to	⚖
DIN 6885-8-7-45-A	8	7	45	22...30	18
DIN 6885-8-7-50-A	8	7	50	22...30	21
DIN 6885-8-7-56-A	8	7	56	22...30	23
DIN 6885-8-7-63-A	8	7	63	22...30	27
DIN 6885-8-7-70-A	8	7	70	22...30	29
DIN 6885-8-7-80-A	8	7	80	22...30	34
DIN 6885-8-7-90-A	8	7	90	22...30	38
DIN 6885-10-8-16-A	10	8	16	30...38	10
DIN 6885-10-8-18-A	10	8	18	30...38	11
DIN 6885-10-8-20-A	10	8	20	30...38	13
DIN 6885-10-8-22-A	10	8	22	30...38	14
DIN 6885-10-8-25-A	10	8	25	30...38	16
DIN 6885-10-8-28-A	10	8	28	30...38	16
DIN 6885-10-8-32-A	10	8	32	30...38	18
DIN 6885-10-8-36-A	10	8	36	30...38	21
DIN 6885-10-8-40-A	10	8	40	30...38	23
DIN 6885-10-8-45-A	10	8	45	30...38	28
DIN 6885-10-8-50-A	10	8	50	30...38	29
DIN 6885-10-8-56-A	10	8	56	30...38	33
DIN 6885-10-8-63-A	10	8	63	30...38	37
DIN 6885-10-8-70-A	10	8	70	30...38	42
DIN 6885-10-8-80-A	10	8	80	30...38	50
DIN 6885-10-8-90-A	10	8	90	30...38	54
DIN 6885-10-8-100-A	10	8	100	30...38	61
DIN 6885-10-8-110-A	10	8	110	30...38	67
DIN 6885-12-8-20-A	12	8	20	38...44	15
DIN 6885-12-8-25-A	12	8	25	38...44	16
DIN 6885-12-8-28-A	12	8	28	38...44	19
DIN 6885-12-8-32-A	12	8	32	38...44	21
DIN 6885-12-8-36-A	12	8	36	38...44	27
DIN 6885-12-8-40-A	12	8	40	38...44	27
DIN 6885-12-8-45-A	12	8	45	38...44	31
DIN 6885-12-8-50-A	12	8	50	38...44	35
DIN 6885-12-8-56-A	12	8	56	38...44	39
DIN 6885-12-8-63-A	12	8	63	38...44	45
DIN 6885-12-8-70-A	12	8	70	38...44	50
DIN 6885-12-8-80-A	12	8	80	38...44	60
DIN 6885-12-8-90-A	12	8	90	38...44	68
DIN 6885-12-8-100-A	12	8	100	38...44	75
DIN 6885-12-8-125-A	12	8	125	38...44	94



Machine elements 9



Machine elements

DIN 6885-NI

STAINLESS STEEL

Description	b h9	h	l	For shaft-Ø from...to	⚖
DIN 6885-3-3-6-A-NI	3	3	6	8...10	1
DIN 6885-3-3-8-A-NI	3	3	8	8...10	1
DIN 6885-3-3-10-A-NI	3	3	10	8...10	1
DIN 6885-3-3-12-A-NI	3	3	12	8...10	1
DIN 6885-3-3-14-A-NI	3	3	14	8...10	1
DIN 6885-3-3-16-A-NI	3	3	16	8...10	1
DIN 6885-3-3-18-A-NI	3	3	18	8...10	1
DIN 6885-3-3-20-A-NI	3	3	20	8...10	1
DIN 6885-4-4-10-A-NI	4	4	10	10...12	1
DIN 6885-4-4-12-A-NI	4	4	12	10...12	2
DIN 6885-4-4-14-A-NI	4	4	14	10...12	2
DIN 6885-4-4-16-A-NI	4	4	16	10...12	2
DIN 6885-4-4-18-A-NI	4	4	18	10...12	2
DIN 6885-4-4-20-A-NI	4	4	20	10...12	3
DIN 6885-4-4-22-A-NI	4	4	22	10...12	4
DIN 6885-4-4-25-A-NI	4	4	25	10...12	4
DIN 6885-4-4-28-A-NI	4	4	28	10...12	4
DIN 6885-4-4-32-A-NI	4	4	32	10...12	4
DIN 6885-5-5-10-A-NI	5	5	10	12...17	2
DIN 6885-5-5-12-A-NI	5	5	12	12...17	2
DIN 6885-5-5-14-A-NI	5	5	14	12...17	2
DIN 6885-5-5-16-A-NI	5	5	16	12...17	3
DIN 6885-5-5-18-A-NI	5	5	18	12...17	4
DIN 6885-5-5-20-A-NI	5	5	20	12...17	4
DIN 6885-5-5-22-A-NI	5	5	22	12...17	4
DIN 6885-5-5-25-A-NI	5	5	25	12...17	5
DIN 6885-5-5-28-A-NI	5	5	28	12...17	6
DIN 6885-5-5-32-A-NI	5	5	32	12...17	6
DIN 6885-5-5-36-A-NI	5	5	36	12...17	7
DIN 6885-5-5-40-A-NI	5	5	40	12...17	8
DIN 6885-5-5-45-A-NI	5	5	45	12...17	9
DIN 6885-5-5-50-A-NI	5	5	50	12...17	10
DIN 6885-6-6-14-A-NI	6	6	14	17...22	4
DIN 6885-6-6-16-A-NI	6	6	16	17...22	5
DIN 6885-6-6-18-A-NI	6	6	18	17...22	5
DIN 6885-6-6-20-A-NI	6	6	20	17...22	6
DIN 6885-6-6-22-A-NI	6	6	22	17...22	6
DIN 6885-6-6-25-A-NI	6	6	25	17...22	7
DIN 6885-6-6-28-A-NI	6	6	28	17...22	8
DIN 6885-6-6-32-A-NI	6	6	32	17...22	9
DIN 6885-6-6-36-A-NI	6	6	36	17...22	10
DIN 6885-6-6-40-A-NI	6	6	40	17...22	11
DIN 6885-6-6-45-A-NI	6	6	45	17...22	12
DIN 6885-6-6-50-A-NI	6	6	50	17...22	14

DIN 6885-NI

STAINLESS STEEL

Description	b h9	h	l	For shaft-Ø from...to	⚖
DIN 6885-6-6-56-A-NI	6	6	56	17...22	16
DIN 6885-6-6-63-A-NI	6	6	63	17...22	18
DIN 6885-8-7-16-A-NI	8	7	16	22...30	7
DIN 6885-8-7-18-A-NI	8	7	18	22...30	8
DIN 6885-8-7-20-A-NI	8	7	20	22...30	9
DIN 6885-8-7-22-A-NI	8	7	22	22...30	10
DIN 6885-8-7-24-A-NI	8	7	24	22...30	11
DIN 6885-8-7-25-A-NI	8	7	25	22...30	11
DIN 6885-8-7-28-A-NI	8	7	28	22...30	12
DIN 6885-8-7-32-A-NI	8	7	32	22...30	14
DIN 6885-8-7-36-A-NI	8	7	36	22...30	16
DIN 6885-8-7-40-A-NI	8	7	40	22...30	18
DIN 6885-8-7-45-A-NI	8	7	45	22...30	20
DIN 6885-8-7-50-A-NI	8	7	50	22...30	22
DIN 6885-8-7-56-A-NI	8	7	56	22...30	25
DIN 6885-8-7-63-A-NI	8	7	63	22...30	28
DIN 6885-10-8-20-A-NI	10	8	20	30...38	13
DIN 6885-10-8-22-A-NI	10	8	22	30...38	14
DIN 6885-10-8-25-A-NI	10	8	25	30...38	16
DIN 6885-10-8-28-A-NI	10	8	28	30...38	18
DIN 6885-10-8-32-A-NI	10	8	32	30...38	20
DIN 6885-10-8-36-A-NI	10	8	36	30...38	23
DIN 6885-10-8-40-A-NI	10	8	40	30...38	25
DIN 6885-10-8-45-A-NI	10	8	45	30...38	28
DIN 6885-10-8-50-A-NI	10	8	50	30...38	31
DIN 6885-10-8-56-A-NI	10	8	56	30...38	35
DIN 6885-10-8-63-A-NI	10	8	63	30...38	40
DIN 6885-10-8-70-A-NI	10	8	70	30...38	44
DIN 6885-10-8-80-A-NI	10	8	80	30...38	50
DIN 6885-10-8-90-A-NI	10	8	90	30...38	57
DIN 6885-12-8-25-A-NI	12*	8	25	38...44	18
DIN 6885-12-8-28-A-NI	12*	8	28	38...44	21
DIN 6885-12-8-32-A-NI	12*	8	32	38...44	24
DIN 6885-12-8-36-A-NI	12*	8	36	38...44	27
DIN 6885-12-8-40-A-NI	12*	8	40	38...44	20
DIN 6885-12-8-45-A-NI	12*	8	45	38...44	34
DIN 6885-12-8-50-A-NI	12*	8	50	38...44	38
DIN 6885-12-8-56-A-NI	12*	8	56	38...44	42
DIN 6885-12-8-63-A-NI	12*	8	63	38...44	48
DIN 6885-12-8-70-A-NI	12*	8	70	38...44	53
DIN 6885-12-8-80-A-NI	12*	8	80	38...44	60
DIN 6885-12-8-90-A-NI	12*	8	90	38...44	68
DIN 6885-12-8-100-A-NI	12*	8	100	38...44	75

\* not available from stock, requires a minimum order quantity